

## Bouton Pression à Griffes / STYLE 14


Fasteners Griffeur  
Laiton - Brass



PLASTIQUE

### GRIFFE - CALOTTE

Prongs - Caps



**1-1401**  
D : 9,3  
H : 3,2



**1-1402**  
D : 9,3  
H : 3,7



**1-1403**  
D : 9,3  
H : 3,9



**1-1419**  
D : 10  
H : 4,4




**1-14319**  
D : 10  
H : 5,2



**91-1417**  
D : 11 - ép : 2,7  
H : 6,3

### BOITIER


Socket



**1421**  
D : 9,6

### BOULE

Stud



**1439**  
D : 9,6  
B : 3,2




**14311 - SOFT**  
D : 9,6  
B : 3,1



**1431**  
D : 9,6  
B : 3,2

### GRIFFE

Prongs



**1-1401**  
D : 9,3  
H : 3,2




**1-1402**  
D : 9,3  
H : 3,7



**1-1403**  
D : 9,3  
H : 3,9

### OEILLET DE BOULE

Post



**1441**  
D : 9,6  
H : 4,4



**1442**  
D : 9,6  
H : 5,2

## Bouton Pression à Griffes / STYLE 14 USA

Fasteners Griffeur  
Laiton - Brass



### PRONGS



**64-3275**  
D : 9,6  
H : 3,6

### SOCKET



**64-0773**  
D : 9,6

### STUD



**64-0716**  
D : 9,8  
H : 3,1

### PRONGS



**64-3275**  
D : 9,6  
H : 3,6

\*Dimensions en mm - Tolérance  $\pm 0,3$ mm




## Bouton Pression à Griffes / STYLE 15

Fasteners Griffeur  
Laiton - Brass



### GRIFFE - CALOTTE

Prongs - Caps



**1-1501**  
D : 10,8  
H : 3,7



**1-1502**  
D : 10,8  
H : 4



**1-1503**  
D : 10,8  
H : 5,7



**1-1519 - PLAT**  
D : 12  
H : 4,3



**1-15219**  
D : 12  
H : 4,7

PLASTIQUE



**1-15324**  
D : 15  
H : 5,5




**91-15220**  
D : 12,7  
ép : 2,7



**92-15324**  
D : 15  
ép : 2,7

### BOITIER

Socket



**1521**  
D : 11,8



**1539**  
D : 11,8  
B : 3,9





**15311 - SOFT**  
D : 11,8  
B : 3,8



**1531**  
D : 11,8  
B : 4

### BOULE

Stud



**1-1501**  
D : 10,8  
H : 3,7




**1-1502**  
D : 10,8  
H : 4



**1-1503**  
D : 10,8  
H : 5,7

### OUILLET DE BOULE

Post





**1541**  
D : 11,8  
H : 5



**1542**  
D : 11,8  
H : 6,5

### GRIFFE

Prongs



## Bouton Pression à Griffes / STYLE 15 USA

Fasteners Griffeur  
Laiton - Brass



### PRONGS



**64-3367**  
D : 10,2  
H : 3,5

### SOCKET



**64-0721**  
D : 11

### STUD



**64-0717**  
D : 11  
H : 3,9

### PRONGS




**64-3667**  
D : 10,2  
H : 3,5

\*Dimensions en mm -  
Tolérance ± 0,3mm

**GRIFFE - CALOTTE**

Prongs - Caps



**62-3565**    **62-4383**  
D : 10,2    D : 10,2  
H : 3,5    H : 4



**STS 1-15219**    **STS 1-15324**  
D : 12    D : 15  
H : 4,7    H : 5,5



**STS 91-15220**    **STS 91-15324**  
D : 12,7    D : 15  
ép : 2,7    ép : 2,7  
H : 3,5    H : 4

PLASTIQUE



**62-0834**  
D : 11

**BOITIER**

Socket




**62-1717**  
D : 11  
B : 3,9



**62-0647**    **STS 1530**  
D : 9,5    D : 11,8  
B : 4    B : 4

**BOULE**


Stud



**62-3565**    **62-4383**  
D : 10,2    D : 10,2  
H : 3,5    H : 4

**OEILLET DE BOULE**


Post



**62-0648**    **STS 1541**  
D : 9,6    D : 11,7  
H : 5,4    H : 4,9

**GRIFFE**

Prongs



\*Dimensions en mm - Tolérance ± 0,3mm